

Hot Work Permit

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

0005	2023

	Instructions		Required Precautions Checklist
Supervisor:			
	precaution checkli		Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED
	this form and retain		Hot Work equipment is in good working order
	2 to competent pe	erson performing	
hot work	Permit Information		Requirements within 35 ft. of hot work
Hot work done by:	crime information		□ Flammable liquid, dust, link and oily deposits removed and floor swept clean
UK Employee Contractor		ctor	Explosive atmosphere in area eliminated (hot work is not to be conducted in a classified area unless made safe)
Location/ building	1101 South Limest	one	 Nearby activities evaluated for conditions that could be affected by hot work
and floor:			 Path of likely sparks evaluated
	6		 Combustible floors wet down, covered with damp sand or fire-
Deeres featists	0.11.1		resistive sheets
Reason for job:	Soldering		□ Remove other combustible material where possible. Otherwise, protect with
			approved welding pads, blankets and curtains or metal shields
			All wall and floor openings covered
Personal Prote	ective Equipment (if applicable)	Fire resistive covers and metal shields provided as needed
	with appropriate le		Protect or shut down ducts and conveyors that might carry sparks to distant
□ Welder's gloves			combustible material
□ Leather jacket/clothing			Hot work on walls, ceilings or roofs
Head Protection	ı		Construction is noncombustible and without combustible covering or
Hearing Protection			insulation
Respirator Type/cartridge:			Combustible material on other side of walls, ceilings or roofs is moved away
Other:			Hot work on enclosed equipment (i.e., welding on tanks)
	ot Work Performe	r	Enclosed equipment cleaned of all combustible material
Name:	Mike Graham	I	Containers purged of flammable liquid/vapor
Signature:			Pressurized vessels, piping and equipment removed from service, isolated and
0			vented
I verify the above in			Hot work inside of enclosed spaces (i.e., inside of tanks)
precautions checked on the Required Precautions			Adequate ventilation provided
Checklist have been taken to prevent fire, and permission is authorized for this work.			
Hot Work Approval			Atmosphere checked with gas detector per confined space permit
Name: James A Beazley			Area purged of any flammable or toxic vapors
Signature:			 Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work
Date:			Hot work/Fire Safety Notifications
Emergency Contact # :			Location of nearest fire alarm known
	Permit Dates		□ If no alarm present, what method will be used to raise the alarm? (List in other
Permit Activated	Date:	Time:	precautions area below)
Permit Expires	01/10/2023 Date:	07:00 Time:	Escape routes maintained and known by personnel
Permit Expires	01/10/2023	15:00	Fire Watch/Hot work area monitoring
Date and time	Date:	Time:	□ Fire watch will be provided for a minimum of <i>30 minutes</i> after work has ceased
work completed			Fire watch is provided with suitable extinguishers
Final Fire Watch Check-up	Date:	Time:	□ Fire watch trained in use of equipment and in sounding alarm.
Fire Watch Inspector Signature (below)		e (below)	Special Instructions When hot work is complete, submit completed permit to supervisor or project
Signature:		. ,	manager for UK EHS review