

Hot Work Permit

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

Supervisor:	
1. Complete precaution checklist at right 2. Complete this form and retain Part 1 3. Issue Part 2 to competent person performing hot work Permit Information Hot work done by: UK Employee Location/ building and floor: Center for Robotics & Manufacturing Systems Basement	□ Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED □ Hot Work equipment is in good working order Requirements within 35 ft. of hot work □ Flammable liquid, dust, link and oily deposits removed and floor swept clean □ Explosive atmosphere in area eliminated (hot work is not to be conducted in a classified area unless made safe) □ Nearby activities evaluated for conditions that could be affected by hot work □ Path of likely sparks evaluated □ Combustible floors wet down, covered with damp sand or fire-
Reason for job: Soldering	resistive sheets
Personal Protective Equipment (if applicable)	 □ Remove other combustible material where possible. Otherwise, protect with approved welding pads, blankets and curtains or metal shields □ All wall and floor openings covered □ Fire resistive covers and metal shields provided as needed
☐ Welder's hood with appropriate lenses	☐ Protect or shut down ducts and conveyors that might carry sparks to distant
☐ Welder's gloves	combustible material
☐ Leather jacket/clothing	Hot work on walls, ceilings or roofs
☐ Head Protection	☐ Construction is noncombustible and without combustible covering or
☐ Hearing Protection	insulation
☐ Respirator Type/cartridge:	☐ Combustible material on other side of walls, ceilings or roofs is moved away
Other:	Hot work on enclosed equipment (i.e., welding on tanks)
Hot Work Performer	Enclosed equipment cleaned of all combustible material
Name: John Anderson	☐ Containers purged of flammable liquid/vapor
Signature:	 Pressurized vessels, piping and equipment removed from service, isolated and vented
I verify the above information has been examined, the	Hot work inside of enclosed spaces (i.e., inside of tanks)
precautions checked on the Required Precautions Checklist have been taken to prevent fire, and permission is authorized for this work.	☐ Adequate ventilation provided
Hot Work Approval	→ Atmosphere checked with gas detector per confined space permit Atmosphere checked with gas detector per confined space permit
Name: Brian Hardin	☐ Area purged of any flammable or toxic vapors
Signature:	 Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work
Date:	Hot work/Fire Safety Notifications
Emergency 8596213951 Contact #:	☐ Location of nearest fire alarm known
Permit Dates	☐ If no alarm present, what method will be used to raise the alarm? (List in other
Permit Activated Date: Time: 05/15/2023 09:41	precautions area below)
Permit Expires Date: Time:	Escape routes maintained and known by personnel
05/15/2023 15:41	Fire Watch/Hot work area monitoring
Date and time work completed Date: Time:	☐ Fire watch will be provided for a minimum of <i>30 minutes</i> after work has ceased ☐ Fire watch is provided with suitable extinguishers
Final Fire Watch Date: Time:	☐ Fire watch trained in use of equipment and in sounding alarm.
Fire Watch Inspector Signature (below)	Special Instructions When het work is complete submit completed permit to superviser or project
Signature:	When hot work is complete, submit completed permit to supervisor or project manager for UK EHS review