

## **Hot Work Permit**

## BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

	instructions		Required Precautions Checklist	
Supervisor:  1. Complete precaution checklist at right 2. Complete this form and retain Part 1 3. Issue Part 2 to competent person performing hot work  Permit Information  Hot work done by:			Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED  Hot Work equipment is in good working order  Requirements within 35 ft. of hot work  Flammable liquid, dust, link and oily deposits removed and floor swept clean  Explosive atmosphere in area eliminated (hot work is not to be conducted in a	
Location/ building and floor:	Center for Robotics Systems Basement		classified area unless made safe)  ☐ Nearby activities evaluated for conditions that could be affected by hot work ☐ Path of likely sparks evaluated ☐ Combustible floors wet down, covered with damp sand or fire-	
	Soldering  Soldering  ective Equipment (	if applicable)	resistive sheets  Remove other combustible material where possible. Otherwise, protect with approved welding pads, blankets and curtains or metal shields  All wall and floor openings covered  Fire resistive covers and metal shields provided as needed	
<ul><li>☐ Welder's hood with appropriate lenses</li><li>☐ Welder's gloves</li></ul>			☐ Protect or shut down ducts and conveyors that might carry sparks to distant combustible material	
□ Leather jacket/clothing     □ Head Protection     □ Hearing Protection     □ Respirator Type/cartridge:			Hot work on walls, ceilings or roofs  ☐ Construction is noncombustible and without combustible covering or insulation ☐ Combustible material on other side of walls, ceilings or roofs is moved away	
☐ Other:			Hot work on enclosed equipment (i.e., welding on tanks)	
Name: John Anderson			☐ Enclosed equipment cleaned of all combustible material ☐ Containers purged of flammable liquid/vapor	
Signature:			☐ Pressurized vessels, piping and equipment removed from service, isolated and vented  □ Pressurized vessels, piping and equipment removed from service, isolated and vented	
I verify the above information has been examined, the			Hot work inside of enclosed spaces (i.e., inside of tanks)	
precautions checked on the Required Precautions Checklist have been taken to prevent fire, and permission is authorized for this work.			□ Adequate ventilation provided □ Atmosphere checked with gas detector per confined space permit	
Name: Brian Hardin			☐ Area purged of any flammable or toxic vapors	
Signature:			☐ Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work	
Date:			Hot work/Fire Safety Notifications	
Emergency 8596213951 Contact #:			☐ Location of nearest fire alarm known	
	Permit Dates	<u> </u>	☐ If no alarm present, what method will be used to raise the alarm? (List in other	
Permit Activated	Date: 05/17/2023	Time: 07:23	precautions area below)	
Permit Expires	Date: 05/17/2023	Time: 15:23	☐ Escape routes maintained and known by personnel  Fire Watch/Hot work area monitoring	
Date and time work completed	Date:	Time:	☐ Fire watch will be provided for a minimum of 30 minutes after work has ceased ☐ Fire watch is provided with suitable extinguishers	
Final Fire Watch Check-up	Date:	Time:	☐ Fire watch trained in use of equipment and in sounding alarm.	
,			Special Instructions	
Fire Watch Inspector Signature (below)  Signature:			When hot work is complete, submit completed permit to supervisor or project manager for UK EHS review	