

## **Hot Work Permit**

## BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

	Instructions		Required Precautions Checklist	
2. Complete 3. Issue Part hot work  Hot work done by: UK Employee Location/ building and floor:  Reason for job:	Instructions  Percention checkle this form and retains 2 to competent properties and competent p	ain Part 1 erson performing nector earch Building	Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED   Hot Work equipment is in good working order   Requirements within 35 ft. of hot work   Flammable liquid, dust, link and oily deposits removed and floor swept clean   Explosive atmosphere in area eliminated (hot work is not to be conducted in a classified area unless made safe)   Nearby activities evaluated for conditions that could be affected by hot work   Path of likely sparks evaluated   Combustible floors wet down, covered with damp sand or fire-resistive sheets   Remove other combustible material where possible. Otherwise, protect with approved welding pads, blankets and curtains or metal shields   All wall and floor openings covered   Fire resistive covers and metal shields provided as needed   Protect or shut down ducts and conveyors that might carry sparks to distant	
☐ Welder's hood with appropriate lenses			combustible material	
☐ Welder's gloves			Compustible material	
☐ Leather jacket/clothing			Hot work on walls, ceilings or roofs	
☐ Head Protection			☐ Construction is noncombustible and without combustible covering or	
☐ Hearing Protection			insulation	
☐ Respirator Type/cartridge:			☐ Combustible material on other side of walls, ceilings or roofs is moved away	
☐ Other:			Hot work on enclosed equipment (i.e., welding on tanks)	
Hot Work Performer				
Nama			☐ Enclosed equipment cleaned of all combustible material	
VestFabrication			☐ Containers purged of flammable liquid/vapor	
Signature:			☐ Pressurized vessels, piping and equipment removed from service, isolated and vented	
I verify the above information has been examined, the			Hot work inside of enclosed spaces (i.e., inside of tanks)	
precautions checked on the Required Precautions Checklist have been taken to prevent fire, and			☐ Adequate ventilation provided	
permission is authorized for this work.			☐ Atmosphere checked with gas detector per confined space permit	
Hot Work Approval				
Name: Ted MacDonald		ald	☐ Area purged of any flammable or toxic vapors	
Signature:			<ul> <li>Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work</li> </ul>	
Date:			Hot work/Fire Safety Notifications	
Emergency 859-629-2020 Contact #:			☐ Location of nearest fire alarm known	
Permit Dates		T	☐ If no alarm present, what method will be used to raise the alarm? (List in other	
Permit Activated	Date: 06/07/2023	Time: 07:00	precautions area below)	
Permit Expires	Date:	Time:	☐ Escape routes maintained and known by personnel	
	06/07/2023	17:00	Fire Watch/Hot work area monitoring	
Date and time work completed	Date:	Time:	☐ Fire watch will be provided for a minimum of 30 minutes after work has ceased ☐ Fire watch is provided with suitable extinguishers	
Final Fire Watch Check-up	Date:	Time:	☐ Fire watch trained in use of equipment and in sounding alarm.	
'			Special Instructions	
Fire Watch Inspector Signature (below)  Signature:			When hot work is complete, submit completed permit to supervisor or project manager for UK EHS review	
			•	