

Hot Work Permit

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

	Instructions		Required Precautions Checklist	
2. Complete 3. Issue Pari hot work Hot work done by: UK Employee Location/ building and floor: Reason for job:	Permit Information Contra Parking Garage No Acetylene/oxygen Ective Equipment	ain Part 1 erson performing actor o 2 metal cutting (if applicable)	□ Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED □ Hot Work equipment is in good working order Requirements within 35 ft. of hot work □ Flammable liquid, dust, link and oily deposits removed and floor swept clean □ Explosive atmosphere in area eliminated (hot work is not to be conducted in a classified area unless made safe) □ Nearby activities evaluated for conditions that could be affected by hot work □ Path of likely sparks evaluated □ Combustible floors wet down, covered with damp sand or fire-resistive sheets □ Remove other combustible material where possible. Otherwise, protect with approved welding pads, blankets and curtains or metal shields □ All wall and floor openings covered □ Fire resistive covers and metal shields provided as needed □ Protect or shut down ducts and conveyors that might carry sparks to distant	
☐ Welder's hood with appropriate lenses			combustible material	
☐ Welder's gloves				
☐ Leather jacket/clothing			Hot work on walls, ceilings or roofs	
☐ Head Protection			☐ Construction is noncombustible and without combustible covering or	
☐ Hearing Protection			insulation	
☐ Respirator Type/cartridge:			☐ Combustible material on other side of walls, ceilings or roofs is moved away	
☐ Other:			Hot work on enclosed equipment (i.e., welding on tanks)	
Hot Work Performer			☐ Enclosed equipment cleaned of all combustible material	
Namo			☐ Containers purged of flammable liquid/vapor	
Dylan Wheeler			☐ Pressurized vessels, piping and equipment removed from service, isolated and	
Signature:			vented verseis, piping and equipment removed from service, isolated and	
I verify the above information has been examined, the			Hot work inside of enclosed spaces (i.e., inside of tanks)	
precautions checked on the Required Precautions			☐ Adequate ventilation provided	
Checklist have been taken to prevent fire, and permission is authorized for this work.				
Hot Work Approval			☐ Atmosphere checked with gas detector per confined space permit	
Name: Brad Daugherty			☐ Area purged of any flammable or toxic vapors	
Drau Daugnerty		ıy		
Signature:			☐ Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work	
Data				
Date:			Hot work/Fire Safety Notifications	
Emergency 8033812301			☐ Location of nearest fire alarm known	
Contact # : Permit Dates				
Permit Activated	Date:	Time:	☐ If no alarm present, what method will be used to raise the alarm? (List in other	
remin Activated	06/08/2023	07:31	precautions area below)	
Daniel E. C		+	☐ Escape routes maintained and known by personnel	
Permit Expires	Date: 06/08/2023	Time: 15:31		
Data and the			Fire Watch/Hot work area monitoring	
Date and time	Date:	Time:	☐ Fire watch will be provided for a minimum of 30 minutes after work has ceased	
work completed			☐ Fire watch is provided with suitable extinguishers	
Final Fire Watch Check-up	Date:	Time:	☐ Fire watch trained in use of equipment and in sounding alarm.	
Fire Watch Inspector Signature (below)			Special Instructions When het work is complete submit completed permit to supervisor or project	
Signature:			When hot work is complete, submit completed permit to supervisor or project manager for UK EHS review	
Jigilatule.			ilialiagei loi ok Elis Teview	
			<u> </u>	