

## **Hot Work Permit**

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

0119	2023
Q	•••

	Instructions			Required Precautions Checklist
Supervisor:				
	e precaution checkl			Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED
	e this form and reta			Hot Work equipment is in good working order
3. Issue Part hot work	t 2 to competent p	erson performing		
	Permit Informatior	۱		Requirements within 35 ft. of hot work
Hot work done by:				Flammable liquid, dust, link and oily deposits removed and floor swept clean Explosive atmosphere in area eliminated (hot work is not to be conducted in a
UK Employee	🗹 Contra			classified area unless made safe)
Location/ building	Peter P. Bosomwo Research Bldg	orth Health Sciences		Nearby activities evaluated for conditions that could be affected by hot work
and floor:	Ŭ			Path of likely sparks evaluated
	4th			Combustible floors wet down, covered with damp sand or fire-
Reason for job:	Soldering			resistive sheets
				Remove other combustible material where possible. Otherwise, protect with approved welding pads, blankets and curtains or metal shields
				All wall and floor openings covered
Demonstration of Deep		//f ( )		Fire resistive covers and metal shields provided as needed
	ective Equipment			Protect or shut down ducts and conveyors that might carry sparks to distant
<ul> <li>Welder's hood with appropriate lenses</li> <li>Welder's gloves</li> </ul>			combustible material	
□ Leather jacket/				Hot work on walls, ceilings or roofs
□ Head Protection	-			Construction is noncombustible and without combustible covering or
□ Hearing Protection			insulation	
Respirator Ty	pe/cartridge:			Combustible material on other side of walls, ceilings or roofs is moved away
□ Other:				Hot work on enclosed equipment (i.e., welding on tanks)
	lot Work Performe	er		Enclosed equipment cleaned of all combustible material
Name:	John Anderso	on		Containers purged of flammable liquid/vapor
Signature:			Pressurized vessels, piping and equipment removed from service, isolated and vented	
I verify the above i				Hot work inside of enclosed spaces (i.e., inside of tanks)
precautions checked on the Required Precautions Checklist have been taken to prevent fire, and			Adequate ventilation provided	
permission is authorized for this work.			Atmosphere checked with gas detector per confined space permit	
Hot Work Approval			Area purged of any flammable or toxic vapors	
Name: Brian Hardin				
Signature:			Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work	
Date:			Hot work/Fire Safety Notifications	
Emergency 859621 Contact # :	3951			Location of nearest fire alarm known
Permit Dates			If no alarm present, what method will be used to raise the alarm? (List in other	
Permit Activated	Date: 07/19/2023	Time: 07:30		precautions area below)
Permit Expires	Date: 07/19/2023	Time: 15:30		Escape routes maintained and known by personnel
Date and time	Date:	Time:		<i>Fire Watch/Hot work area monitoring</i> Fire watch will be provided for a minimum of <i>30 minutes</i> after work has ceased
work completed	Dute.	inne.		Fire watch will be provided with suitable extinguishers
Final Fire Watch	Date:	Time:		Fire watch trained in use of equipment and in sounding alarm.
Check-up				Special Instructions
Fire Watch Inspector Signature (below)		١	When hot work is complete, submit completed permit to supervisor or project	
Signature:			manager for UK EHS review	
L			1	