

Hot Work Permit

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

	Instructions		Required Precautions Checklist
Supervisor:			
			Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED
	2. Complete this form and retain Part 1		Hot Work equipment is in good working order
Issue Part 2 to competent person performing hot work		erson performing	
Permit Information			Requirements within 35 ft. of hot work
Hot work done by:			 Flammable liquid, dust, link and oily deposits removed and floor swept clean Explosive atmosphere in area eliminated (hot work is not to be conducted in a
UK Employee 🖸 Contractor			classified area unless made safe)
Location/ building Anthropology Research Building		earch Building	Nearby activities evaluated for conditions that could be affected by hot work
and floor:			Path of likely sparks evaluated
	First		Combustible floors wet down, covered with damp sand or fire-
Reason for job:	Welding		resistive sheets
	0		Remove other combustible material where possible. Otherwise, protect with approved welding pade blankate and sufficiency material shields
			approved welding pads, blankets and curtains or metal shields All wall and floor openings covered
			 Fire resistive covers and metal shields provided as needed
Personal Protective Equipment (if applicable)			 Protect or shut down ducts and conveyors that might carry sparks to distant
Welder's hood with appropriate lenses			combustible material
 Welder's gloves Leather jacket/clothing 			Hot work on walls, ceilings or roofs
Head Protection			□ Construction is noncombustible and without combustible covering or
Hearing Protection			insulation
□ Respirator Type/cartridge:			Combustible material on other side of walls, ceilings or roofs is moved away
□ Other:			Hot work on enclosed equipment (i.e., welding on tanks)
Hot Work Performer			□ Enclosed equipment cleaned of all combustible material
Name: Luke Williams			Containers purged of flammable liquid/vapor
Signature:			Pressurized vessels, piping and equipment removed from service, isolated and
			vented
I verify the above information has been examined, the			Hot work inside of enclosed spaces (i.e., inside of tanks)
precautions checked on the Required Precautions			□ Adequate ventilation provided
Checklist have been taken to prevent fire, and permission is authorized for this work.			
Hot Work Approval			Atmosphere checked with gas detector per confined space permit
Name: Dennis warren			Area purged of any flammable or toxic vapors
Signature:			 Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work
Date:			Hot work/Fire Safety Notifications
Emergency 8594949204 Contact # :			Location of nearest fire alarm known
	Permit Dates	1	□ If no alarm present, what method will be used to raise the alarm? (List in other
Permit Activated	Date: 09/01/2023	Time: 06:00	precautions area below)
Permit Expires	Date:	Time:	Escape routes maintained and known by personnel
	09/01/2023	14:00	Fire Watch/Hot work area monitoring
Date and time	Date:	Time:	□ Fire watch will be provided for a minimum of <i>30 minutes</i> after work has ceased
work completed	Deter	T ¹	□ Fire watch is provided with suitable extinguishers
Final Fire Watch Check-up	Date:	Time:	□ Fire watch trained in use of equipment and in sounding alarm.
Fire Watch Inspector Signature (below)			Special Instructions When hot work is complete, submit completed permit to supervisor or project
Signature:			manager for UK EHS review
L			