

## **Hot Work Permit**

## BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

	Instructions		Required Precautions Checklist
2. Complete 3. Issue Part hot work  Hot work done by: UK Employee Location/ building and floor:	precaution checkli this form and reta 2 to competent pe ermit Information	in Part 1 erson performing ctor	□ Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED □ Hot Work equipment is in good working order  Requirements within 35 ft. of hot work □ Flammable liquid, dust, link and oily deposits removed and floor swept clean □ Explosive atmosphere in area eliminated (hot work is not to be conducted in a classified area unless made safe) □ Nearby activities evaluated for conditions that could be affected by hot work □ Path of likely sparks evaluated □ Combustible floors wet down, covered with damp sand or fireresistive sheets □ Remove other combustible material where possible. Otherwise, protect with approved welding pads, blankets and curtains or metal shields □ All wall and floor openings covered
Personal Protective Equipment (if applicable)			
<ul><li>☐ Welder's hood with appropriate lenses</li><li>☐ Welder's gloves</li></ul>			☐ Protect or shut down ducts and conveyors that might carry sparks to distant combustible material
Leather jacket/clothing			Hot work on walls, ceilings or roofs
			☐ Construction is noncombustible and without combustible covering or
			insulation
☐ Hearing Protection			☐ Combustible material on other side of walls, ceilings or roofs is moved away
☐ Respirator Type/cartridge:			Combustible material on other side of wans, cennigs of roots is moved away
☐ Other:			Hot work on enclosed equipment (i.e., welding on tanks)
Hot Work Performer			☐ Enclosed equipment cleaned of all combustible material
Name: Gilbert Manly			☐ Containers purged of flammable liquid/vapor
Signature:			☐ Pressurized vessels, piping and equipment removed from service, isolated and vented
I verify the above information has been examined, the			Hot work inside of enclosed spaces (i.e., inside of tanks)
precautions checked on the Required Precautions			☐ Adequate ventilation provided
Checklist have been taken to prevent fire, and			Adequate ventilation provided
permission is authorized for this work.			☐ Atmosphere checked with gas detector per confined space permit
Name: James A Beazley			☐ Area purged of any flammable or toxic vapors
·			☐ Other permits completed as required: Lock-out/tag-out, working at heights,
Signature:			live electrical work
Date:			Hot work/Fire Safety Notifications
Emergency 859-396-5635 Contact #:			☐ Location of nearest fire alarm known
	Permit Dates	Γ	☐ If no alarm present, what method will be used to raise the alarm? (List in other
Permit Activated	Date: 09/01/2023	Time: 06:00	precautions area below)
Permit Expires	Date:	Time:	Escape routes maintained and known by personnel
	09/01/2023	14:00	Fire Watch/Hot work area monitoring
Date and time work completed	Date:	Time:	☐ Fire watch will be provided for a minimum of 30 minutes after work has ceased ☐ Fire watch is provided with suitable extinguishers
Final Fire Watch	Date:	Time:	☐ Fire watch trained in use of equipment and in sounding alarm.
Check-up			Special Instructions
Fire Watch Inspector Signature (below)			When hot work is complete, submit completed permit to supervisor or project
Signature:			manager for UK EHS review