

Hot Work Permit

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

N N	0024	2024
-----	------	------

	Instructions			Required Precautions Checklist
Supervisor:				· · · · · · · · · · · · · · · · · · ·
1. Complete precaution checklist at right			Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED	
	e this form and reta			Hot Work equipment is in good working order
3. Issue Part hot work	t 2 to competent p	erson performing		
	Permit Information			Requirements within 35 ft. of hot work
Hot work done by:				Flammable liquid, dust, link and oily deposits removed and floor swept clean
UK Employee 🖸 Contractor			Explosive atmosphere in area eliminated (hot work is not to be conducted in a classified area unless made safe)	
Location/ building	UK Hospital - Char			Nearby activities evaluated for conditions that could be affected by hot work
and floor:	Center & Hospital	(Pavilion H)		Path of likely sparks evaluated
	G			Combustible floors wet down, covered with damp sand or fire-
Deesen fer isk.	O a la la si a si			resistive sheets
Reason for job:	Soldering			Remove other combustible material where possible. Otherwise, protect with
				approved welding pads, blankets and curtains or metal shields
				All wall and floor openings covered
Personal Protective Equipment (if applicable)			Fire resistive covers and metal shields provided as needed	
□ Welder's hood				Protect or shut down ducts and conveyors that might carry sparks to distant
□ Welder's gloves				combustible material
Leather jacket/	clothing			Hot work on walls, ceilings or roofs
Head Protection	n			Construction is noncombustible and without combustible covering or
Hearing Protect	tion			insulation
Respirator Type/cartridge:			Combustible material on other side of walls, ceilings or roofs is moved away	
Other:			Hot work on enclosed equipment (i.e., welding on tanks)	
Hot Work Performer			Enclosed equipment cleaned of all combustible material	
Name:	Kevin Snyde	r		Containers purged of flammable liquid/vapor
Signature:				Pressurized vessels, piping and equipment removed from service, isolated and
0				vented
I verify the above information has been examined, the			Hot work inside of enclosed spaces (i.e., inside of tanks)	
precautions checked on the Required Precautions			Adequate ventilation provided	
Checklist have been taken to prevent fire, and permission is authorized for this work.		_		
Hot Work Approval			Atmosphere checked with gas detector per confined space permit	
Name: Bart Bowmen			Area purged of any flammable or toxic vapors	
Signature:			Other permits completed as required: Lock-out/tag-out, working at heights,	
				live electrical work
Date:			Hot work/Fire Safety Notifications	
Emergency 8593021155 Contact # :			Location of nearest fire alarm known	
	Permit Dates	-		If no alarm present, what method will be used to raise the alarm? (List in other
Permit Activated	Date:	Time:		precautions area below)
	02/02/2024	13:59		Escape routes maintained and known by personnel
Permit Expires	Date: 02/02/2024	Time: 21:59		Fire Watch/Hot work area monitoring
Date and time	Date:	Time:		Fire watch will be provided for a minimum of <i>30 minutes</i> after work has ceased
work completed	Date.	Time.		Fire watch is provided with suitable extinguishers
Final Fire Watch	Date:	Time:		Fire watch trained in use of equipment and in sounding alarm.
Check-up	Dute	inne.		Special Instructions
Fire Watch Inspector Signature (below)			When hot work is complete, submit completed permit to supervisor or project	
Signature:			1	manager for UK EHS review