

Hot Work Permit

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

	Instructions		Required Precautions Checklist	
 Supervisor: Complete precaution checklist at right Complete this form and retain Part 1 Issue Part 2 to competent person performing 			 Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED Hot Work equipment is in good working order 	
hot work Permit Information Hot work done by: □ UK Employee ☑ Contractor Location/ building Multi-Disciplinary Science Building			 Requirements within 35 ft. of hot work Flammable liquid, dust, link and oily deposits removed and floor swept clean Explosive atmosphere in area eliminated (hot work is not to be conducted in a classified area unless made safe) Nearby activities evaluated for conditions that could be affected by hot work 	
and floor: Reason for job:	(MDS) 5th Soldering		 Path of likely sparks evaluated Combustible floors wet down, covered with damp sand or fire- resistive sheets Remove other combustible material where possible. Otherwise, protect with approved welding pads, blankets and curtains or metal shields All wall and floor openings covered Fire resistive covers and metal shields provided as needed 	
	ective Equipment (
 Welder's hood with appropriate lenses Welder's gloves Leather jacket/clothing 			 Protect or shut down ducts and conveyors that might carry sparks to distant combustible material Hot work on walls, ceilings or roofs 	
 Head Protection Hearing Protection Respirator Type/cartridge: 			 Construction is noncombustible and without combustible covering or insulation Combustible material on other side of walls, ceilings or roofs is moved away 	
Other: Hot Work Performer			Hot work on enclosed equipment (i.e., welding on tanks) Enclosed equipment cleaned of all combustible material	
Name: Dwayne Deaton Signature:			 Containers purged of flammable liquid/vapor Pressurized vessels, piping and equipment removed from service, isolated and vented 	
I verify the above information has been examined, the precautions checked on the Required Precautions Checklist have been taken to prevent fire, and permission is authorized for this work.			Hot work inside of enclosed spaces (i.e., inside of tanks) Adequate ventilation provided Atmosphere checked with gas detector per confined space permit	
Hot Work Approval Name: Drew Parks			Area purged of any flammable or toxic vapors	
Signature:			Other permits completed as required: Lock-out/tag-out, working at heights, live electrical work	
Date:			Hot work/Fire Safety Notifications	
Emergency 8593214701 Contact # :			Location of nearest fire alarm known	
Permit Activated	Permit Dates Date: 03/29/2024	Time: 07:45	If no alarm present, what method will be used to raise the alarm? (List in other precautions area below)	
Permit Expires	Date: 03/29/2024	Time: 15:45	 Escape routes maintained and known by personnel Fire Watch/Hot work area monitoring 	
Date and time work completed	Date:	Time:	 Fire watch will be provided for a minimum of <i>30 minutes</i> after work has ceased Fire watch is provided with suitable extinguishers 	
Final Fire Watch Check-up	Date:	Time:	Fire watch trained in use of equipment and in sounding alarm. Special Instructions	
Fire Watch Inspector Signature (below) Signature:			When hot work is complete, submit completed permit to supervisor or project manager for UK EHS review	