

Hot Work Permit

BEFORE INITIATION HOT WORK, ENSURE <u>ALL</u> PRECAUTIONS ARE IN PLACE! MAKE SURE AN APPROPRIATE FIRE EXTINGUIRSHER IS READILY AVAILABLE!

19

	Instructions		Required Precautions Checklist
Supervisor:			
	precaution checkl	-	Sprinkler protection in service. If fire suppression is taken offline, UK Fire Marshal's Office AND UK Delta Room MUST BE NOTIFIED
	this form and reta		 Hot Work equipment is in good working order
 Issue Part 2 to competent person performing hot work 			
Permit Information			Requirements within 35 ft. of hot work
Hot work done by:			 Flammable liquid, dust, link and oily deposits removed and floor swept clean Explosive atmosphere in area eliminated (hot work is not to be conducted in a
UK Employee 🖸 Contractor			classified area unless made safe)
Location/ building Multi-Disciplinary Science Building		Science Building	Nearby activities evaluated for conditions that could be affected by hot work
and floor:	(MDS)		Path of likely sparks evaluated
	5th		□ Combustible floors wet down, covered with damp sand or fire-
Reason for job:	Soldering		resistive sheets
	0		Remove other combustible material where possible. Otherwise, protect with
			approved welding pads, blankets and curtains or metal shields All wall and floor openings covered
			□ Fire resistive covers and metal shields provided as needed
Personal Protective Equipment (if applicable)			 Protect or shut down ducts and conveyors that might carry sparks to distant
□ Welder's hood with appropriate lenses			combustible material
Use Velder's gloves			Hot work on walls, ceilings or roofs
 Leather jacket/clothing Head Protection 			□ Construction is noncombustible and without combustible covering or
Hearing Protection			insulation
Respirator Type/cartridge:			Combustible material on other side of walls, ceilings or roofs is moved away
□ Other:			Hot work on enclosed equipment (i.e., welding on tanks)
Hot Work Performer			Enclosed equipment cleaned of all combustible material
Name: Dwayne Deaton			Containers purged of flammable liquid/vapor
Signature:			Pressurized vessels, piping and equipment removed from service, isolated and
			vented
I verify the above information has been examined, the			Hot work inside of enclosed spaces (i.e., inside of tanks)
precautions checked on the Required Precautions Checklist have been taken to prevent fire, and			Adequate ventilation provided
permission is authorized for this work.			
Hot Work Approval			Atmosphere checked with gas detector per confined space permit
Name: Drew Parks			Area purged of any flammable or toxic vapors
Signature:			□ Other permits completed as required: Lock-out/tag-out, working at heights,
			live electrical work
Date:			Hot work/Fire Safety Notifications
Emergency 8593214701 Contact # :			Location of nearest fire alarm known
Permit Dates			□ If no alarm present, what method will be used to raise the alarm? (List in other
Permit Activated	Date:	Time:	precautions area below)
	04/22/2024	08:05	Escape routes maintained and known by personnel
Permit Expires	Date: 04/22/2024	Time: 16:05	
Date and time	Date:	Time:	Fire Watch/Hot work area monitoring
work completed	Date.	Time.	 Fire watch will be provided for a minimum of <i>30 minutes</i> after work has ceased Fire watch is provided with suitable extinguishers
Final Fire Watch	Date:	Time:	□ Fire watch trained in use of equipment and in sounding alarm.
Check-up			
Fire Watch Inspector Signature (below)			Special Instructions When hot work is complete, submit completed permit to supervisor or project
Signature:			manager for UK EHS review